# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 7445 | ("718".clas.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 15:02 |
| S2 | 174 | network processor and S1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 15:45 |
| S3 | 19 | sequence number and S2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:07 |
| S4 | 82 | S2 and thread | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 15:46 |
| S5 | 6475 | (sequence or number or index or priority or weight$4 or ticket) with thread with (select$4 or elect$4 or determin$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:09 |
| S6 | 587 | S1 and S5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:09 |
| S7 | 4944 | (sequence or number) with thread with (select$4 or elect$4 or determin$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:10 |
| S8 | 2577 | (sequence or number) with thread with (select$4 or elect$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:12 |

# EAST Search History

| S9 | 174 | S1 and S8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:11 |
|----|-----|-----------|------|-----|-----|----------------|
| S10 | 144 | S9 and (thread with $2lock$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:13 |
| S11 | 20 | S9 and (thread with $2lock$3) and mask | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:13 |
| S12 | 3362 | (sequence or number or value) with thread with (select$4 or elect$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:19 |
| S13 | 249 | S1 and S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:13 |
| S14 | 210 | S13 and (thread with $2lock$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:13 |
| S15 | 40 | S13 and (thread with $2lock$3) and mask | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:13 |
| S16 | 4133 | (sequence or number or value) with thread with (smallest or biggest or largest or least or most) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:19 |

# EAST Search History

| S17 | 209 | (sequence or number or value) with thread with (smallest or biggest or largest) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:55 |
|-----|------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-----|----|------------------|
| S18 | 23 | ((sequence or number or value) with thread with (smallest or biggest or largest)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:55 |
| S19 | 3028 | (sequence or number or value or count or ticket) with thread with (smallest or biggest or largest or highest or lowest or minimum or maximum) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 17:11 |
| S20 | 380 | ((sequence or number or value or count or ticket) with thread with (smallest or biggest or largest or highest or lowest or minimum or maximum)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:57 |
| S21 | 357 | S20 not S18 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:58 |
| S22 | 8 | S21 and (packet) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 16:58 |
| S23 | 274 | (number or value or count or ticket) with thread with (compar$4 or comparision) same (smallest or biggest or largest or highest or lowest or minimum or maximum) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 17:13 |
| S24 | 149 | (number or value or count or ticket) with thread with (compar$4 or comparision) same (smallest or biggest or largest or highest or lowest or minimum or maximum) and processor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 17:13 |

# EAST Search History

| S25 | 105 | (number or value or count or ticket) with thread with (compar$4 or comparision) with (smallest or biggest or largest or highest or lowest or minimum or maximum) and processor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/10 17:13 |
|---|---|---|---|---|---|---|
| S26 | 160 | (select$3 or elect$4 or choos$4 or chosen or determin$4) near4 ((seq$5 or index) near2 (number)) with (lowest or smallest) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 19:26 |
| S27 | 80412 | (compar$4) near4 (((seq$5 or index) near2 number) or order$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:17 |
| S28 | 20 | S26 and S27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:22 |
| S29 | 45140 | (highest or lowest) near4 (((seq$5 or index) near2 number) or order$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:19 |
| S30 | 95 | S26 and S29 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:19 |
| S31 | 7458 | ("718".clas.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:22 |
| S32 | 0 | S28 and S31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:22 |

| S33 | 3 | S30 and S31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:22 |
|---|---|---|---|---|---|---|
| S34 | 6 | S26 and S31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:34 |
| S35 | 21786 | ("712".clas.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:34 |
| S36 | 6 | S26 and S35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:36 |
| S37 | 119675 | ("370".clas.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:36 |
| S38 | 48 | S26 and S37 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:38 |
| S39 | 12780 | (370/389,400,401).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:39 |
| S40 | 11 | S26 and S39 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:39 |

# EAST Search History

| S41 | 82 | (select$3 or elect$4 or choos$4 or chosen or determin$4) near4 ((seq$5 or index) near2 (number)) with (lowest or smallest) and packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 18:51 |
|-----|-----|-----|-----|-----|-----|-----|
| S42 | 272 | (select$3 or elect$4 or choos$4 or chosen or determin$4) near4 ((seq$5 or index) near2 (number)) with (lowest or smallest or minimum) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 19:23 |
| S43 | 6 | S42 and S31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 19:23 |
| S44 | 7 | S42 and S35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 19:23 |
| S45 | 1 | S44 not S36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 19:23 |
| S46 | 14 | (select$3 or elect$4 or choos$4 or chosen or determin$4) near4 ((seq$5 or index) near2 (number)) with (earliest) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/17 19:28 |
| S47 | 217853 | assign$4 near4 (number or index or ticket or value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:51 |
| S48 | 115488 | (compar$4) near4 (number of index or value of ticket or count or order$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:52 |

| S49 | 45991 | S47 same "3" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:52 |
|---|---|---|---|---|---|---|
| S50 | 768 | S47 same S48 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:58 |
| S51 | 0 | ("370.clas") or ("718.clas") or ("712.clas") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:53 |
| S52 | 147789 | "370".clas. or "718".clas. or "712".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:54 |
| S53 | 87 | S50 and S52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:54 |
| S54 | 776 | (thread same mask) and lock$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:59 |
| S55 | 1 | S50 and S54 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 18:59 |
| S56 | 1719 | (thread and (elect$4 or select$4 or order$3)).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 19:01 |

| S57 | 22988 | (thread and (elect$4 or select$4 or order$3)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 19:01 |
|-----|-------|---|---|---|---|---|
| S58 | 10385 | (thread and (sequenc$4 or order$3)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 19:01 |
| S59 | 384 | (thread and (sequenc$4 or order$3) and processor).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 19:02 |
| S60 | 66 | (thread and (sequenc$4 or order$3) and processor and (elect$4 or select$4)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/25 19:02 |
| S61 | 4080 | double data rate near3 memory | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/29 21:37 |
| S62 | 21 | S61 and ("718".clas.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/29 21:37 |